

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A silver contact fixing structure for conductive blades comprising a conductive blade which has a fastening section for holding a silver contact;

wherein the fastening section has a first fixing zone and a second fixing zone on a vertical surface corresponding to the conductive blade that connects to each other, the first fixing zone being greater than the second fixing zone and forming a bucking end on the juncture of the first fixing zone and the second fixing zone, a silver wire being pressed and filled in the fastening section to form a silver contact which is shaped as the fastening section to be retained by the bucking end to form a strengthened fixing, the silver contact structure is formed by a fabrication method which comprises the steps of:

A. stamping a blank by stamping the conductive blade with a first upper mold to form the first fixing zone;

B. stamping the blank for a second time by stamping the conductive blade with a second upper mold which is smaller than the first upper mold to form the second fixing zone which is smaller than the first fixing zone; and

C. planting the silver wire by placing the conductive blade on a first lower mold, and placing the silver wire in the fastening section formed by the first fixing zone and the second fixing zone, and pressing and filling the silver wire in the fastening section through a third upper mold..

2. (Cancelled)

3. (Original) The silver contact fixing structure of claim 1, wherein the fastening section includes a third fixing zone on a surface opposing the first fixing zone and adjacent to the second fixing zone, the third fixing zone being larger than the second fixing zone to form another bucking end on the juncture of the third fixing zone and the second fixing zone.

4. (Original) The silver contact fixing structure of claim 1, wherein the horizontal cross sections of the first fixing zone and the second fixing zone are non-circular.

5. (Currently Amended) The silver contact fixing structure of claim 21, wherein the horizontal cross section of the first fixing zone is non-circular.

6. (Currently Amended) The silver contact fixing structure of claim 21, wherein the horizontal cross section of the second fixing zone is non-circular.

7. (Currently Amended) The silver contact fixing structure of claim 21, wherein the horizontal cross sections of the first fixing zone and the second fixing zone are non-circular.

8. (Currently Amended) The silver contact fixing structure of claim 21, wherein the fastening section includes a third fixing zone on a surface opposing the first fixing zone and adjacent to the second fixing zone, the third fixing zone being larger than the second fixing zone to form another bucking end at the juncture of the third fixing zone and the second fixing zone.

9. (Currently Amended) The silver contact fixing structure of claim 1, wherein the silver contact structure is further formed by a fabrication method which comprises the steps of:

A. stamping a the blank ~~by stamping the conductive blade through a first upper mold and with a third upper mold to form the first fixing zone and a third fixing zone on the stamping blade;~~

B. during the stamping of the blank for a the second time, ~~by stamping the conductive blade through a second upper mold that is being smaller than the first upper mold and the third upper mold to form the second fixing zone which is smaller than both the first fixing zone and the third fixing zone; and~~

C. during the planting of the silver wire, ~~by placing the conductive blade on a first lower mold, and placing the silver wire in the fastening section formed by the first fixing zone, the second fixing zone and is also in the third fixing zone, and pressing and filling the silver wire in the fastening section through a third upper mold.~~

10. (Original) The silver contact fixing structure of claim 9, wherein the horizontal cross section of the first fixing zone is non-circular.

11. (Original) The silver contact fixing structure of claim 9, wherein the horizontal cross section of the second fixing zone is non-circular.

12. (Original) The silver contact fixing structure of claim 9, wherein the horizontal cross section of the third fixing zone is non-circular.

13. (Original) The silver contact fixing structure of claim 9, wherein the horizontal cross sections of the first fixing zone, the second fixing zone, and the third fixing zone are non-circular.

14. (New) The silver contact fixing structure of claim 1, wherein the silver contact is flush with both an upper surface and a lower surface of the conductive blade.

15. (New) The silver contact fixing structure of claim 1, therein the first fixing zone is conically shaped.